

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015 Filing Confirmation Number: 0006875840

Filing Deadline: July 15, 2015 FRN: 0009221672

Filing Date: 07/14/2015 08:55 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: TCT Mobile Limited
Brand Names: Alcatel OneTouch

PO Box:

Street Address: Room 1910-12A, Tower 3, China HK City, 33 Canton Road

City: Kowloon, Hong Kong

State: CA Zip Code: 92606

Contact Name: Vivian Lau
Contact Phone: (318) 028-6200

Contact Fax:

Contact Email: vivian.lau@tcl.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

No

Explain: Not all of products in our company were provided the meaning to reduce the max power for GSM operation in 1900MHz to meet the M3 rating criteria till now.

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address:

http://www.alcatelonetouch.us/Hearing-Aid-Compatibility-with-Mobile-Phones-Accessibility-and-Compliance/b/108 44773011

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Nil

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 18

Report Remarks

Nil

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hea Comp Number	atible	Acoustic Compati Number	ble Only	Han	ompliant dsets Percent	Total by Air Interface
GSM	14	93%	1	7%			15
CDMA	3	100%				10	3
WCDMA	14	93%	1	7%			15
LTE	5	100%		-			5

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible Number Percent	Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent	Total by Air Interface
Wi-Fi	12 92%	1 8%		13

Handset 1: TCT Mobile Limited 4037N

Handset Maker

TCT Mobile Limited

Handset Model NameFCC ID4037NRAD4834037TRAD483

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Handset 2: TCT Mobile Limited 6043A

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID 6043A RAD493

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 900 MHz GSM 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2.4 GHz Wi-Fi 5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/03/14

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: TCT Mobile Limited 7040N

Handset Maker

TCT Mobile Limited

Handset Model Name	FCC ID
7040N	RAD475
7040R	RAD475
7040T	RAD475

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 900 MHz GSM 1700 MHz WCDMA 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2100 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: TCT Mobile Limited 7047A

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
7047A RAD465

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: TCT Mobile Limited A205G

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A205G RAD291

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Handset 6: TCT Mobile Limited A206G

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A206G RAD477

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 900 MHz GSM 1700 MHz WCDMA 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2100 MHz WCDMA

Dates

This handset model was offered from: 02/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: TCT Mobile Limited A392G

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A392G RAD348

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/29/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: TCT Mobile Limited A520L

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A520L RAD535

Air Interfaces/Frequency Bands

700 MHz LTE 800 MHz CDMA 1900 MHz CDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: TCT Mobile Limited A520R

Handset Maker

TCT Mobile Limited

Handset Model NameFCC IDA520RRAD534A521LRAD534

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: TCT Mobile Limited A564C

Handset Maker

TCT Mobile Limited

Handset Model NameFCC IDA564CRAD476A564RRAD476

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/27/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/27/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Handset 11: TCT Mobile Limited A845L

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A845L RAD471

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz GSM 850 MHz WCDMA 900 MHz GSM 1700 MHz LTE 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/13/14

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: TCT Mobile Limited A846L

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID

A846L RAD528

Air Interfaces/Frequency Bands

700 MHz LTE 800 MHz CDMA 1900 MHz CDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/05/15

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: TCT Mobile Limited A995L

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
A995L RAD472

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

 $1700~\mathrm{MHz}~\mathrm{LTE}$

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/29/14

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/29/14

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: TCT Mobile Limited Alcatel OT510A

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
Alcatel OT510A RAD253

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Handset 15: TCT Mobile Limited Alcatel OT871A

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
Alcatel OT871A RAD264

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: TCT Mobile Limited ONE TOUCH 4015T

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
ONE TOUCH 4015T RAD436

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 02/23/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/23/14

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: TCT Mobile Limited ONE TOUCH 5020T

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
ONE TOUCH 5020T RAD393

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1700 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/28/13

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/28/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: TCT Mobile Limited ONE TOUCH 7024W

Handset Maker

TCT Mobile Limited

Handset Model Name FCC ID
ONE TOUCH 7024W RAD386

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1700 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/27/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Certification

This Report has been certified by:

Vivian Lau Legal Counsel 07/14/2015 08:55 PM